Product Information Sheet

and rounded to the second dec-

Height

Width

Depth

imal

Outer dimen-

sions without

separate con-

trol gear, light-

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	Mathmos		
Supplier's address: Authorised		bert Place 25, D02 AY86	Dublin, IE
Model identifier: B519			
Type of light source:			
Lighting technology used:	other	Non-directional or directional:	NDLS
Light source cap-type	G9		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers
	Product para	meters	
Parameter	Value	Parameter	Value
	General product	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	40	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	413 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P _{on}), expressed in W	40,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W	-	Colour rendering in- dex, rounded to the	99

42

14

14

nearest integer, or

the range of CRI-val-

Spectral power dis-

range 250 nm to 800

nm, at full-load

in

the

ues that can be set

tribution

See image

in last page

ing control parts and non-lighting control parts, if any (millimetre)				
Claim of equival	ent power ^(a)	-	If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,458 0,411

(a)'-': not applicable; (b)'-': not applicable;

